

14 POINTS



August 01-26, 2025

14 Points - August 01-26, 2025
(Reporting for the month of August 2025)

Name of School	Current Student Enrollment			POINT 1							POINT 2					POINT 3							POINT 4		
				CERTIFIED TEACHERS							CERTIFIED ADMINISTRATOR					CERTIFIED GUIDANCE COUNSELOR							CERTIFIED SCHOOL HEALTH COUNSELOR		
	Male	Female	Total	TOTAL	Certified	Special Contract	Emergency Certified	Uncertified	Vacant	COMMENT	TOTAL	Certified	Uncertified	Vacant	COMMENT	TOTAL	Certified	Special Contract	Emergency Certified	Uncertified	Vacant	COMMENT	TOTAL	Vacant	COMMENT
Adacao ES	185	160	345	21	1	0	0	0	0		2	2	0	0		1	1	0	0	0	0		1	0	
Agana Heights ES	160	150	310	25	25	0	0	0	0		1	1	0	0		1	1	0	0	0	0		1	0	
Astumbo ES	195	166	361	28	28	0	0	0	1	1- Vacant is chamoru pending	1	1	0	0		1	1	0	0		0		1	1	
Baltazar P. Carbullido ES	203	183	386	28	28	0	0	0	0	1 Chamorro teacher on long term workmans comp	2	2	0	0	N/A	1	1	0	0	0	0	N/A	0	0	
Capt. Herny B. Price ES	275	285	560	40	40	0	0	0	3	1 - ESL Coordinator vice Jennifer Flores 1 - SPED Teacher vice Mae Mendiola 1 - Kinder Teacher Vacant	2	2	0	0		2	2	0	0		0	1 - on long term medical leave (WCC)	1		
Carlos L. Taitano ES	195	186	381	29	29	2	0	0	0		1	1	0	0		1	1	0	0	0			1	0	
Daniel L. Perez ES	325	269	594	46	43	0	2	0	1		2	2	0	0		2	2	0	0	0	0		1	0	Debra Dela Cruz out sick until 11/01/25
Finegayan ES	421	387	808	50	46	1	1	4	2	Vacant: 5th and SPED	2	2	0	0		2	2	0	0	0	0		1	0	
Harry S. Truman ES	112	111	223	20	20	0	0	0	0	1 - pregate 12 - K - 5th Grade 2 - Sped	1	1	0	0		1	1	0	0	0	0		1		
Inalahan ES	93	94	187	18	18	0	0	0	0	1ST GRADE AND ESCL TEACH ON LONG TERM MIL LEAVE	1	1	0	0		1	1	0	0	0	0		1	1	
Juan M. Guerrero ES	222	188	410	32	31	0	0	1	0		1	1	0	0		1	1	0	0	0	0		1	0	
Juan Q. San Miguel ES	251	209	460	35	34	0	0	1	0		1	1	0	0		1	1	0	0		0		1	0	
Liguan ES	198	192	390	33	33	0	0	0	0		1	1	0	0		1	1	0	0	0	0		1	1	
Machananao ES	200	192	392	27	18	2	0	6	1	1- Vacant 5TH GRADE TEACHER	1	1	0	0		1	1	0	0	0	0		1	0	
Manuel U. Lujan ES	262	239	501	44	44	1	2	0	0	Headstart and Librarian included in count.	2	2	0	0		1	1	0	0	0	0		1	0	
Marcial Sablan ES	150	136	286	24	24	0	0	0	0	1-Military Leave	1	1	0	0		1	1	0	0	0	0		1	0	
Maria A. Ulloa ES	237	236	473	34	33	0	1	0	1	vacant- 1st grade	2	2	0	0		2	2	0	0	0	0		0	1	Vacant- John Patrick Chua
Merizo Martyrs Memorial School	112	86	198	17	15	1	0	0	1	5th grade positions	1	1	0	0		1	1	0	0	0	0		1	0	
Ordot Chalan Pago ES	190	162	352	28	27	1	0	1		Kinder-1; 2nd-1; 5th-1 Chamorro- 1 (1-5th Pending HR Processing of Recommendation; 1 Teacher: LTD; 1 Teacher LWOP/Military)	1	1	0	0		1	1	0	0	0	0		1	1	

Pedro C. Lujan ES	178	185	363	37	37	0	0	0	0		1	1	0	0		1	1	0	0	0	0		1	0	
Talofofo ES	100	79	179	16	16	2	0	0	2	1-4th Grade 1-GATE	1	1	0	0		1	1	0	0	0	0		1	0	
Tamuning ES	320	304	624	42	42	2	2	0	2	*4th gr (1) *SpEd Resource (1)	2	2	0	0		2	2	0	0	0	0		1	1	
Upi ES	198	211	409	33	32	0	0	1	1 - 5th		1	1	0	0		1	1	0	0	0	0		1	0	
Wettengel ES	272	292	564	36	36	0	0	0	0	RTF - Submitted for New Kinder Teacher on 8/13/2025 to ESCL	2	2	0	0		1	1	0	0	0	0		1	0	
Agueda I. Johnston MS	289	292	581	41	39	3	0	2	Language Arts (1) SPED (1) CRT (1)	298	3	3	0	0		3	3	0	0	0	0		1	0	
AsTumbo MS	221	204	425	36	33	0	0	3		0		2	2	0	0		2	2	0	0	0	0		1	0
Francisco B. Leon Guerrero MS	468	409	877	67	66	2	0	1	2	VACANT 1-LA / 1 -SS /	5	5	0	0		5	5	0	1				1	0	
Inalahan MS	219	201	420	41	30	5	4	0	2	None	2	2	0	0	None	2	2	0	0	0	0	None	1	0	None
Jose L.G. Rios MS	329	311	640	48	46	4	0	2	5	(1) Business (1) Chamorro Language (1) Health (1) Physical Education / Health (1) Social Studies (MIL)	3	3	0	1	VICE: GEOLYN EGURROLA	2	2	0	0	0	1		1	0	0
Luis P. Untalan MS	474	455	929	62	62	0	0	0	4	Vacant(ESL Science,CHamoru, Health,Band)	3	3	0	1	Vacant(Asst. Princ)	3	3	0	0	0	1	(Vacant)	1	0	
Oceanview MS	161	149	310	35	32	1	0	1	1	PE	2	2	0	0		2	2	0	0	0	0		1	0	
Vicente S.A. Benavente MS	496	446	942	67	65	0	0	2	0	(1- LTPT MLOA EP) (1- SPECIAL CONTRACT MLOA AB) (1- LTFT SCIENCE 6TH / 7TH COMBO) (1- LTPT VACT. CHAM)	3	3	0	1	1-PATRICIA ANUB ASSIGNED TO MAUES 7/22/25.	3	3	0	0	0	0		1	0	
George Washington HS	597	558	1155	66	77	1	0	0	5		5	5	0	0		5	5	0	0	0	0		0	1	
Joaquin P. Torres Success Academy	121	57	178	19	18	0	0	0	1	Includes LFP & Sanctuary	1	1	0	0		1	1	0	0	0	0		0	0	Supported by District Office
John F. Kennedy HS	859	785	1644	96	93	0	0	0	3	Math (1), Chamoru (1), Art (1)	5	5	0	0		7	7	0	0	0	0		1	0	
Okkodo HS	750	739	1489	77	72	2	0	2	1	VACANT LA-1	5	5	0	0		6	6	0	0		0		1	0	
Simon Sanchez HS	710	677	1387	92	86	0	0	3	3	1-CHamoru, 1-JROTC Instructor, 1-SPED	5	5	0	0		6	6	0	0	0	0		1	0	
Southern HS	567	476	1043	77	70	2	1	2	1 Health, 1 Science, 1 SPED, 1 CRT	7 GCC Teachers	4	4	0	1	3 Assistant Principals	5	5	0	0	0	0	1 GCC Counselor Included	1	0	
Tiyan HS	438	505	943	64	63	0	3	1	2		4	4	0	0		4	4	0	0	0	0		1	0	
TOTAL	11,753	10,966	22,719	1,631	1,552	32	16	33	43		85	85	-	4		85	85	-	1	-	2		35	7	

14 Points - August 01-26, 2025

(Reporting for the month of August 2025)

Name of School	POINT 5		
	CERTIFIED ALLIED HEALTH PROFESSIONAL <i>(Input provided by Special Education)</i>		
	Total	Vacant	COMMENT
Speech Langauge Pathologist	16	3	
Speech Language Clinician	4	2	
Psychologist	1	5	
Occ Therapist I	0	2	
Occ Therapist II	0	1	
Occ Therapist Asst.	0	1	
Physical Therapist I	0	1	
Physical Therapist II	1	1	
Audiologist	1	1	
TOTAL >>>>>>>>>>>>>>>	23	17	

Name of School	Current Student Enrollment			POINT 6				POINT 7														POINT 8				
				PROPERLY VENTILATED CLASSROOM				ADEQUATE SAFE DRINKING WATER														RELIABLE ELECTRICITY				
	Male	Female	Total	# OF CLASSROOM	PROPERLY VENTILATED	NOT PROPERLY VENTILATED	COMMENT	Water Fountains				Sinks (Male Restrooms)				Sinks (Female Restrooms)				Sinks (Common Restrooms)				YES	NO	COMMENT
								Public Health Requirement Ratio (1:75)	Total	Not Working	COMMENT	Public Health Requirement Ratio (Elem: 1:60) (Sec: 1:100)	Total	Not Working	COMMENT	Public Health Requirement Ratio (Elem: 1:60) (Sec: 1:100)	Total	Not Working	COMMENT	Total	Not Working	COMMENT				
Adacao ES	185	160	345	31	31			5	8			3	9			3	8			5			X			
Agana Heights ES	160	150	310	22	22			4	5			3	7			3	7	0		11	0		x			
Astumbo ES	195	166	361	36	17	19	Rooms that are not properly ventilated: B103, B104, C104, D101, D103, D104, E101, E105, E106, F101, F105, G102, H102, H103, I101, CAFETERIA (2), LIBRARY (2), PRINCIPAL (1), AA (1)	5	13	2	Water Fountain leaking near Hwing RR and I Wing need to fix or replace	3	8	1	Hwing Boys-RR (last sink leaking need fix or replace)	3	12	1		12	0	INCLUDING HeadStart,Nurse, Office B101, H101-H104, I 101-I104	X			
Baltazar P. Carbullido ES	203	183	386	28	28	0	N/A	5	7	0	N/A	3	16	0	N/A	3	16	0	N/A	5	0	N/A	XX			
Capt. Herny B. Price ES	275	285	560	47	46	1	G9 - reported to Charleen Hadap on 08/19/2025	7	9	0		5	16	0		5	19	0		5	0		X			
Carlos L. Taitano ES	195	186	381	32	32			5	10			3	11			3	14			18	0		X			
Daniel L. Perez ES	325	269	594	46	44	2	Room 8-both AC units need to be replace. Room 17, Unit A not properly cooling.	8	11			5	21	10	Restroom under renovation w/CoreTech	4	20	11	Restroom under renovation w/CoreTech	4			X			
Finegayan ES	421	387	808	72	72			11	12			7	10			6	10			52		Common restrooms identified here are the neutral gender restroom located inside the classrooms with sink	X			
Harry S. Truman ES	112	111	223					3	4	2		2	6			2	5			10			x			
Inalahan ES	93	94	187	30	28	2	2 AC down WORK ORDER IN MUNIS	2	4	1	WORK ORDER IN MUNIS	2	10	0		2	10	0		2	0	Café and Nurse office restroom with sink	X			

Juan M. Guerrero ES	222	188	410	35 (including 3 vacant classrooms)	35	0		5	8	1		#REF!	8	0		3	9	0		48	0		X		
Juan Q. San Miguel ES	251	209	460	38	38	0		6	8			4	7			3	9			16			X		
Liguan ES	198	192	390	34	34			5	7			3	7			3	7			4			X		
Machananao ES	200	192	392	25	25	0		5	11	4	WORK REQUEST #-188748/187387/188759/188761	3	8	0		3	12	0		15	0				
Manuel U. Lujan ES	262	239	501	40	28	12	105,106, 111, 128 A&B,126, 211 A&B,101,122, 213 . Rooms also down: Main Office, Assistant Administrative room, Cafeteria B,C,D,F,G	7	8	2	2ND FLR. FRONT/BACK STAIRWELL NOT WORKING	4	7	0		4	7	0		39	0		X		
Marcial Sablan ES	150	136	286	40	38	2 with no AC	Room 37 and 40	4	8	0		3	11	0		2	12	0		7	0			x	Cafeteria trips and RM 43 outlet repair.
Maria A. Ulloa ES	237	236	473	59	59			6	8	0		4	25	0		4	26	0		11	0	HS,KINDER,1ST	X		
Merizo Martyrs Memorial Sch	112	86	198	21	19	2	D5-1st grade classroom A3- 2nd Grade classroom D2-D3 Leaking/Preventive Maintenance Needed	3	7	0		2	12	0		1	6	0		8	0		X		
Ordot Chalan Pago ES	190	162	352	29	28	1		5	6			3	5	4	CoreTech Renovating	3	7	6	CoreTech Renovating	24			X		
Pedro C. Lujan ES	178	185	363	35	35	0		5	10			3	13	0	# reflects restrooms in A, B, C,D wing not primary rooms.	3	13	0	# reflects restrooms in A, B, C,D wing not primary rooms.	2	0	Nurse's office		X	Electrical capacity is limited
Talofofo ES	100	79	179	21	21	0		2	5	0		2	5	0		1	5	0		3			X		
Tamuning ES	320	304	624	45	45	0		8	10	1	A bldg playground-fountain needs replacement	5	12	0		5	18	0		7	0		X		
Upi ES	198	211	409	49	41	8	4 classes with personal purchased split unit; 2 classrooms with temp split unit	5	10	2		3	14	0		4	17	0		19	0		X		
Wettengel ES	272	292	564	45	44	1	Speech Room Without Airconditioning	8	12			5	8	0		5	8			2	0			x	Electrical Boxes in wings - E, G, I constantly tripping off. Electrical panels need replacements due to rust and corrosion.
Agueda I. Johnston MS	289	292	581	58	50	8 (Comdemed Rooms: 32, 33, 34, 35, 40, 41, 42, & 43)	8 classrooms without central air conditioner (Quad area packet units)	8	13	0		3	44			3	44			2	0		Yes		
AsTumbo MS	221	204	425	41	39	2	F111, F112	6	7	0		2	10	0		2	10	0		6	0		X		
Francisco B. Leon Guerrero MS	468	409	877	87	85	2	2 NOT PROPERLY VENTILATED CLASSROOMS NOT OCCUPIED	12	20			5	27			4	24			51			YES		
Inalahan MS	219	201	420	37	37	0		6	9	0		2	11	0		2	11	0		8	0		X		

Jose L.G. Rios MS	329	311	640	52	44	11	Art Room 10 Ton unit not cooling WO # 180020 Rm 5A AC not cooling - WO#188546 Rm 5B AC not cooling - WO#188546 Rm 7 (Ac not Cooling) -WO#181728 Rm 10 AC not cooling - WO #186282 Rm 17 (AC not working) - WO #183275 RM 25 AC is leaking WO#184258 Rm 29(AC not cooling) - WO #185222 SSO AC not cooling - WO#174324 Nurse/ Prinicpal office - WO#178418 Library AC not cooling - WO#188088	9	11	2	6th grade - 1 fountain was recommended for survey; waiting on replacement from F&M 8th grade fountain damaged - needs repair or replacement WO#183949	3	14	4	6th Grade Boys restroom closed due to sewer repair - 4 sinks	3	16	5	6th Grade Girls RR not opened due to sewer issues 5 sinks	18	0	RMS:(1-1),(2-1), (19-1),(36-1), (37B-1),(ART-2), (NURSE-1), (LOUNGE-3), (CAFÉ-1) Handwashing(6)		X	ELECTRICAL FOR 6TH GRADE RESTROOMS ARE NOT WORKING WO #180488
Luis P. Untalan MS	474	455	929	61	61			12	12	1		5	16			5	18			2			X		
Oceanview MS	161	149	310	35	33	2	E500 & Cafeteria	4	3	3	P-wing- CoreTech working at this wing. G-Wing and B-wing no power.	2	8	P & B Wing Under Refurbish	P & B Wing Under Refurbishment	1	7	1	E-wing- 1 sink drain is clogged. P & B Wing Under Refurbishment	4	0			X	Outlets not working at E507, B201, and P15, G-Wing and B-Wing outlets for the water
Vicente S.A. Benavente MS	496	446	942	82	81	1	RM 16 AC UNIT WON'T POWER ON	13	19	0		5	13	0	ON GOING RESTROOM RENNOVATIONS @ GYM, B-BLDG AND ANNEX	4	13	0	ON GOING RESTROOM RENNOVATIONS @ GYM, B-BLDG AND ANNEX	1	0		X		
George Washington HS	597	558	1155	98	96	2	Most classrooms have at least 1 working AC	15	18	1	Met	6	40	0	Met	6	37	0	Met	1	0	Only sink, no toilet		X	
Joaquin P. Torres Success Academy	121	57	178	14	14	0	Includes LFP & Sanctuary	2	2	0		1	4	0		1	4	0		4	0		X		
John F. Kennedy HS	859	785	1644	108	108	0		22	34	0		9	72	0		8	11			7	0		X		Pending transition to solar power
Okkodo HS	750	739	1489	87	85	2	2 NOT PROPERLY VENTILATED CLASSROOMS NOT OCCUPIED	20	20			8	27			7	24			51			YES		
Simon Sanchez HS	710	677	1387	81	81	0		18				7				7							YES		
Southern HS	567	476	1043	124	67	57		14	30		Foutains in AREAS NOT IN USE not counted	6	73			5	70		Sinks in AREAS NOT IN USE not counted	33		Sinks in AREAS NOT IN USE not counted		X	Electrical problems throughout the school; pending refurbishment project
Tiyan HS	438	505	943	74	72	2		13	18	6		4	27	0		5	23	0		16			XXX		
TOTAL	11,753	10,966	22,719	1,864	1,763	129		303	417	28		#REF!	642	19		141	589	24		533	-				

14 Points - August 01-26, 2025
(Reporting for the month of August 2025)

Name of School	Current Student Enrollment			POINT 9																													
	Male	Female	Total	TOILETS												Urinals								Clean Restrooms			Classrooms			Cafeteria Rating "B" or Better			
				Male				Female				Common Restrooms				Male				Common Restrooms													
				Public Health Requirement Ratio (Elem: 1:60) (Sec: 1:100)	Total	Not Working	COMMENT	Public Health Requirement Ratio (Elem: 1:35) (Sec: 1:45)	Total	Not Working	COMMENT	Total	Not Working	COMMENT	Public Health Requirement Ratio (1:30)	Total	Not Working	COMMENT	Total	Not Working	COMMENT	YES	NO	COMMENT	YES	NO	COMMENT	YES	NO	Indicate Rating	COMMENT		
Adacao ES	185	160	345	3	5			5	12			10			6	10			10			X			X			X		B			
Agana Heights ES	160	150	310	3	6			4	14	0		2			5	12			0	0		X		Cleaning inconsistent	X		Cleaning inconsistent		X	C	Reinspection pending to improve grade		
Astumbo ES	195	166	361	3	12			5	16	0		13	0		7	12	0		0	0		X			X			YES		A			
Baltazar P. Carbullido ES	203	183	386	3	8	0	N/A	5	12	0	N/A	6	0	N/A	7	8	0	N/A	0	0	N/A	XX		N/A	XX		N/A				NOT INSPECTED YET		
Capt. Herny B. Price ES	275	285	560	5	14	0		8	34	2		5	0		9	18	0		5	0		X			X			X		A			
Carlos L. Taitano ES	195	186	381	3	8	0		5	16			18			7	14						X			X			X		A			
Daniel L. Perez ES	325	269	594	5	13	8	Restrooms under renovation w/CoreTech	8	26	17	Restrooms under renovation w/CoreTech	4			11	24	11	Restrooms under renovation w/CoreTech	2			X			X			X		A			
Finegayan ES	421	387	808	7	8			11	11			52		Common restrooms identified here are the neutral gender restroom located inside the classrooms with sink	14	8		Short in urinals ratio, but 44 classrooms have individual gender neutral restroom that can be utilized by the boys as well as (2) in the main office, (1) in the nurse, (1) in Quarantine Room 106 and (1) in the counselors office.	0		44 classrooms have individual gender neutral restroom that are utilized by either gender.	X			x			X		A			
Harry S. Truman ES	112	111	223	2	5	1		3	6			10			4	3			0			x			x			x					
Inalahan ES	93	94	187	2	9	0		3	13	0		12	0		3	10	0		0	0		X			X			X		A			
Juan M. Guerrero ES	222	188	410	4	3	0		5	11	0		22	0		7	14	0		0	0		X			X			X					
Juan Q. San Miguel ES	251	209	460	4	7			6	13			8			8	13			8			X			X				X	C			
Liguan ES	198	192	390	3	5			5	12			4			7	11			0			X		GFS follows cleaning schedule	X			X		A			

Machananao ES	200	192	392	3	12	0		5	16	1	Service request # 188793	15	0		7	12	0		0	0		X			X			X		A	
Manuel U. Lujan ES	262	239	501	4	5	0	However we have 38 classroom with restrooms	7	7	0	However we have 38 classroom with restrooms	38	1	216	9	3	0	However we have 38 classroom with restrooms	0	0		X		All R/R are cleaned and sanitized however all tiles and grouts must be changed in all restrooms.	X				X	C Rating	Pending reinspection
Marcial Sablan ES	150	136	286	3	9	0		4	22	0		9	0		5	18	0		0	0		x			x			x	A	Last inspected March 13, 2013	
Maria A. Ulloa ES	237	236	473	4	14	0	14 WORKING	7	28	0	28 WORKING	16	0	2 LOUNGE, NURSE, CAFÉ, GCM,	8	19	0	19 WORKING	1	0	LOUNGE	X			X			X	B		
Merizo Martyrs Memorial Sch	112	86	198	2	6	0		2	6	0		8	0		4	5	0		0	0		X		Self-Cleaning	X		Self-Cleaning	X	B	Inspection date 5/17/2017	
Ordot Chalan Pago ES	190	162	352	3	7	6	CoreTech Renovating	5	10	10	CoreTech Renovating	15	0		6	8	8	CoreTech Renovating	0			X			X			X			
Pedro C. Lujan ES	178	185	363	3	11	0		5	20	0		9	0		6	20		Awaiting Tier II support by F&M	0	0	Nurse's office	X		Awaiting Tier II support by F&M	X		Awaiting Tier II support by F&M	X	A	Last inspection 2017	
Talofofo ES	100	79	179	2	5	0		2	7	0		3	0		3	5	0		0			X			X			X	A	5/16/2017	
Tamuning ES	320	304	624	5	18	0		9	24	0		7	0		11	16	0		1	0			X	Does not meet DPHSS Sanitary Requirements. Under refurbishment contract.	X			X	A	Inspected on 4/08/21	
Upi ES	198	211	409	3	15	1		6	29	1		19	0		7	16	0		0	0		x			x			x			
Wettengel ES	272	292	564	5	6	0		8	14	0					9	18	2	1 - F-Wing removed were removed due to continous overflowing	1	0		x			x			x	A	Notified of passing grade by Sodexo Mgt. on November 30, 2023	
Agueda I. Johnston MS	289	292	581	3	22			6	38			1			10	24			0			X		GCM cleaning contract- daily reminders to maintain cleanliness. Many times they do not clean restrooms & classrooms properly	X		* YES AND NO - GCM cleaners do a poor job with cleaning classrooms consistently.	X	B		
AsTumbo MS	221	204	425	2	8	0		5	16	1	D-wing, 3rd stall	6	0		7	14	0		0	0		X			X			X	A		
Francisco B. Leon Guerrero MS	468	409	877	5	25			9	51			7			16	36					YES				YES		YES	"A"			
Inalahan MS	219	201	420	2	11	0		4	13	0		5	0		7	10	0		1	0		X			X			X	A		
Jose L.G. Rios MS	329	311	640	3	13	3	6th Grade Boys restroom closed due to sewer repair - (B) -3 toilets	7	24	7	6th Grade Girls restroom closed due to sewer repair -(G) 5 toilets	5	1	Rm:36,37,office, nurse, main office Female RR Lounge - leaking	11	18	4	6th Grade Boys restroom closed due to sewer repair - (B) 4 urinals Gym Boys 1 Urinal	27	0		X		***NOTE : VENTILATION DAMAGED ABOVE 7TH GRADE BOYS RESTROOM - WO # 172885 ; 6TH GRADE GIRLS RESTROOM VENTILATION NEEDS TO BE REPLACED	X			X			
							8th grade Girls RR 1 toilets not working WO# 186468																								
							Gym Girls RR - 1 Toilet needs to be replaced -																								
Luis P. Untalan MS	474	455	929	5	16			10	23				2		16	22						X			X			X	A		
Oceanview MS	161	149	310	2	5	0	P & B Wing Under Refurbishment	3	6	1	P & B Wing Under Refurbishment & E-wing- 1 toilet not flushing	6	0	P -Wing Under Refurbishment	5	6	0	P & B Wing Under Refurbishment	1	0		X			X			X	A		
Vicente S.A. Benavente MS	496	446	942	5	5	0	ON GOING RESTROOM RENNOVATIONS @ GYM, B-BLDG AND ANNEX	10	7	0	ON GOING RESTROOM RENNOVATIONS @ GYM, B-BLDG AND ANNEX	1	0		17	7	0	ON GOING RESTROOM RENNOVATIONS @ GYM, B-BLDG AND ANNEX	0	0		X			X			x	A	AS OF 4/2/2013	
George Washington HS	597	558	1155	6	27	0	Met	12	59	0	Met	0	1	Did not meet DPHSS requirement: Ventilation and floor drain	20	48	0	Met	0	1	Did not meet DPHSS requirements:	X			X			X		Last rating was an "A"	
Joaquin P. Torres Success Academy	121	57	178	1	5	0		1	6	0		0	0		4	4	0		0	0		X			X					N/A	
John F. Kennedy HS	859	785	1644	9	20	0		17	77	0		7	0		29	57	0					X			X			X	"A"		
Okkodo HS	750	739	1489	8	25			16	51			7			25	36						YES				YES		YES	"A"		

14 Points - August 01-26, 2025
(Reporting for the month of August 2025)

Name of School	POINT 10			POINT 11			POINT 12				POINT 13			Point 14					
	ADOPTED TEXTBOOKS			LIBRARY MEETS STANDARDS			BUIDLING RATING "B" OR BETTER				180 INSTRTNL DAYS			TIMELY BUS TRANSPORTATION					
	YES	NO	COMMENT	YES	NO	COMMENT	YES	NO	Indicate Rating	COMMENT	YES	NO	COMMENT	Morning Busing			Afternoon Busing		
														Yes	No	COMMENT	Yes	No	COMMENT
Adacao ES	X			X			X		A	Inspection done on December 30.	X			X		2 buses (2 trips each)	X		2 buses (2 trips each) Last Pickup 3:30
Agana Heights ES	X			X				X	C		X			X			X		
Astumbo ES	YES			YES				NO	C	Re-inspection on November 4, 2025	YES			YES			YES		Sometimes one trip or secod trip (Depend on the size of the bus)
Baltazar P. Carbullido ES	XX		N/A	XX		N/A	C				XX			XX			XX		
Capt. Herny B. Price ES	X		My Math consumables for all grade levels are needed.	X				X	C		X			X				X	Only 2 bus drivers, doing double back in the afternoon. Last bus leaves at 3:45 pm.
Carlos L. Taitano ES	X			X			X		B		X			X			X		
Daniel L. Perez ES	X		See attached listing of the books received.	X				X	C	29 Demerits from PH	X			X			X		

Finegayan ES	X		All classrooms have the adopted textbooks and supplemental instructional materials (Journeys and My Math).	X				X	C	FES sanitary permit rating of C/29 demerits was issued on June 24, 2025. FES is tentatively scheduled for re-inspection by DPHSS on August 2026.	X			X			X		Double backs/ late dismissal pick ups due to shortage of bus/drivers.
Harry S. Truman ES	x			x				x			x			x				x	Sped bus arrives an hour after students are
Inalahan ES	X			X			X		B		X			X				X	5 TO 10 MINS LATE
Juan M. Guerrero ES	X			X			X				X			X			X		
Juan Q. San Miguel ES	X			X				X	C		X			X			X		With a double trip
Liguan ES	X			X			X		A		X		Started on Aug. 7	X		7:00am	X		2:45pm
Machananao ES	X			X			X		B	Last inspected 04/08/2025	X			X			X		
Manuel U. Lujan ES		X	Currently using supplementals for reading and math	X				X	C Rating		X		12 Days	X			X		
Marcial Sablan ES	x			x				x	C	Last inspected February 11, 2025	x		Started August 7, 2025		X	SPED Bussing Shortage		X	SPED Bussing Shortage
Maria A. Ulloa ES	X		Journeys	x			x		C			x	174 days	x				x	1 Bus only for afternoon we have 2nd trips

Merizo Martyrs Memorial Sch		X	All Grade Levels need the following Adopted Text to be considered in-compliance Math-My Math	X			X		B	18 Demerits as of 4/25	X			X		No SPED Bus since 8/14/25	X		No SPED Bus since 8/14/25
Ordot Chalan Pago ES				X			X		B		X			X			X		
Pedro C. Lujan ES	X			X			X		A	Last inspection 2010	X			X				X	Still some delays with after-school pick up
Talofofo ES	X			X			X		A	5/6/2025	X			X			X		
Tamuning ES	X			X				X	C	Annual Inspection 10/22/24 Demerits 27	X			X			X		
Upi ES	x			x				x	C		x			x			x		2nd trip daily; last bus leaves around 3:10pm
Wettengel ES	x			x			x		C	WES passed DPHSS inspection on Friday, November 8, 2025	x			x			x		
Agueda I. Johnston MS	x			x				x	C		X				X	UOG, Green Park, Mariano, Tai, Pagat & Derry bus comes consistently after 8:30 am - 8:40 am		X	UOG, Green Park, Mariano, Tai, Pagat & Derry bus comes consistently after 4:45 pm

George Washington HS	X			X				X		Last rating, July 2025 - C rating	x			x			x		
Joaquin P. Torres Success Academy	X		Partial- Pending SS/ Science	X				X	C	Shared w/THS	X			X			X		
John F. Kennedy HS	X			X			X		"B"		X			X			X		ROYAL HAWAIIAN
Okkodo HS	YES			YES		AC INOPERABLE. BLOWER FANS USED TO ASSIST		no	"C"	LAST INSPECTION 05-13-2025 27/C	YES			YES				NO	Not Timely
Simon Sanchez HS								NO	C		YES			YES			YES		
Southern HS	X			X		Library Building & AC repairs made, inspected and passed July 2025		X	C	Public Health Grade: 21/C July 01, 2025 - Self Inspection Report conducted July 03, 2025 Total Demerits: 28		X	Amended Calendar 174 days	X				X	Double Back - Agat
Tiyan HS	xxx			xxx				xxx		C RATING	xxxx				xxxx	SPED BUSSING NO SHOW Aug. 25-26		xxxx	SPED BUSSING NO SHOW Aug. 25-26

8